This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.







HI (GESTIUS 09/857867



INVESTOR IN PEOPLE

The Patent Office Concept House Cardiff Road

Newnort th Wales

NOV 2000

POT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before reregistration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Dated 25 October 2000

PRIORITY

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

An Executive Agency of the Department of Trade and Industry



Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



2JAN00 E 4270 C56247 / 700 200-000507.4

The Patent Office

Cardiff Road Newport Gwent NP9 1RH

1. Your reference

2. Patent application number (The Patent Office will fill in this part)

0000507.4

3. Full name, address and postcode of the or of STEPHEN MURTER MURTER

THE LYMES OFF OLD YORK ROAD SKELLOW DOWERSTER

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

7759152001

4. Title of the invention

A) JUSTABLE SAFETY CABLE

5. Name of your agent (if you bave one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MA

THE LYMES OFF OLD YORK POAT

ATKINSON BURRINGTON MEDICASON BURRINGTON MEDICASON BURRINGTON MEDICASON PRESIDENT BUILDINGS PRESIDENT WAY (FSIMT)

Patents ADP number (if you know it)

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (yyou know u) the or each application number Country

Priority application number
(If you know II)

Date of filing
(day / month / year)

GIB

GB 9923976.6 12 10 99

 If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application Number of earlier application

Date of filing
(day / montb / year)

- 8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer Yes' 1f:
 - a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body. See note (d))

| Warning After an or comm | application for a patent bas been filed, the unication of the invention should be probably | e Comptroller (| of the P | atent Office will | comoldan sub | -46 | lication |
|--------------------------------|--|-----------------|---------------------------------------|-------------------|--------------|------------|-----------|
| | e and daytime telephone number of on to contact in the United Kingdom | STEPHO | | MULTE 302 72 | | | |
| 12 2 | | | ~ン | THE | . 1 | 1/01/ | 100 |
| | | Signature | Ĺ | 111 | → Date | | |
| 11. | | I/We requ | est the | grant of a patent | on the basis | of this ap | plication |
| | Any other documents (please specify) | | · · · · · · · · · · · · · · · · · · · | , | | | |
| | Request for substantive examination (Patents Form 10/77) | | · .• | • | | | |
| | | • | | | | | |
| | Request for preliminary examination and search (Patents Form 9/77) | | | · | | | |
| | Statement of inventorship and right to grant of a patent (Patents Form 7/77) | | • | | | | |
| | Translations of priority documents | • | | | | | , |
| • | Priority documents | | | | | • | |
| | ou are also filing any of the following, how many against each item. | | - | | | • | |
| | Drawing(s) | 1+1 | | | | | į. |
| | Abstract | 1/ | (L | | | | |
| | Claim(s) | 1/ | 4 | | | | |
| | Continuation sheets of this form Description | | ٠ | | | | |
| Do | not count copies of the san cument | · . | | | | | |
| | owing items you are filing with this form. | • | | • | | | 1 |

communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

ADJUSTABLE SAFETY CABLE

This invention relates to an adjustable safety cable.

Safety cables are used throughout the building, leisure and petro chemical industries, for clipping onto, to give protection against falls.

However to give temporary access to the building and petro chemical industries, safety cables are used simply by fastening both ends to the solid structure.

This however is not suitable for scaffolding, as no solid structure has been built prior to requiring the safety cable. Thus the need for an adjustable safety cable.

According to the present invention there is provided an adjustable safety cable comprising of an adjustable cable. Two or more hollow adjustable uprights, each upright comprises of one or more hollow lengths of material that can be displaced one inside the other. Thus allowing the uprights to be expanded or contracted.

The safety cable travels up from the lower part of the upright, to a predetermined height where it crosses the required distance and comes into contact with the second upright set at the same predetermined height. The cable can be fastened at contact point or allowed to travel to the lower part of the upright.

The uprights are expanded and contracted using cables and pulleys. The uprights are supported to any structure using base and intermediate brackets fitted with or without locking devices.

A specific embodiment of the invention will now be described by way of example with reference to the accompanying drawing in which: -

Figure 1 shows both uprights joined together by the adjustable safety cable.

Referring to the drawing the adjustable safety cable comprises a pair of base sections 11 and a pair of upper sections 12. The upper sections can be displaced inside the base sections 11 to form "a" adjustable upright 20. A cable 19 is taken from the base of one upright 20 travels over pulleys 13 to the base of the second upright 20. The cable is secured to the base 11 by, for example a catch, keep or winch (not show) The safety cable 19 can be secured at contact point 24 if required.

In order to install the uprights 20, for example to a structure (not shown), both uprights 20 are placed at the required distance apart. They are offered base support bracket and clamps 15 first, to a fastening position on a structure (not shown). Intermediate supports 14 are then fitted. Thus securing both uprights 20 to the structure. Both ends of the adjustable safety cable 19 are secured.

In order to raise the uprights 20 in the direction of the arrow 21 or lower in the direction of the arrow 22, positive only or positive then negative pressure is applied to ropes 16 or 18. Thus lifting or lowering the upper sections 12 support pin 23 along the guide vain 17.

To secure the upper section 12 at the required height, for example, pins, clamps or similar means (not shown) are used.

To remove the uprights 20 from the structure the steps described above are carried out in reverse sequence.

ABSTRACT

ADJUSTABLE SAFETY CABLE

"A" adjustable safety cable, e.g. a cable that can be adjusted in length as well as height has a cable 19 that passes over two or more adjustable uprights 20 & down towards the base 11 to be made secure.

The uprights 20 are expanded and contracted by rope and pulley mechanisms. The uprights 20 are placed around the work area with the cable passing between them. Base support bracket with clamp 15 and intermediate supports with clamps 14 are fitted to enable installations to the structures.

CLAIMS

1 A adjustable safety cable comprising of "a" adjustable cable. Two or more hollow adjustable uprights, each upright comprises of one or more hollow lengths of material that can be displaced one inside the other. Thus allowing the uprights to expand or contracted.

The safety cable travels up from the lower part of the upright, to a predetermined height where it crosses a required distance and comes into contact with the second upright set at the same predetermined height. The cable can be fastened at contact point or allowed to travel to the lower part of the upright.

The uprights are expanded and contracted using cables and pulleys. The uprights are supported to any structure using base and intermediate brackets fitted with or without locking devices.

- 2 A adjustable safety cable in claim 1 wherein strengthening means are provided inside the hollow sections.
- 3 A adjustable safety cable in Claim 1 or Claim 2, wherein the base and intermediate Brackets are removable.
- 4 A adjustable safety cable in Claim 1 or Claim 2 or Claim 3 wherein a winch or brackets are used to fasten the safety cable to.
- 5 A adjustable safety cable in Claim 1 or Claim 2 or Claim 3 or Claim 4 wherein lanyards or safety devices are connected to the safety cables so men can clip to.
- 6 A adjustable safety cable in Claim 1 or Claim 2 or Claim 3 or Claim 4 or Claim 5 wherein the pulleys 13 and there housing are made larger then the uprights.
- 7 A adjustable safety cable in Claim 1 or Claim 2 or Claim 3 or Claim 4 or Claim 5 or Claim 6 wherein a cable movement stop is fitted.
- 8 A adjustable safety cable in Claim 1 or Claim 2 or Claim 3 or Claim 4 or Claim 5 or Claim 6 or Claim 7 wherein four adjustable uprights are used in a square or rectangular format with a moveable connecting connector between the two safety cables.
- 9 A adjustable safety cable substantially as described herein with reference to figure 1 of the accompanying drawing.

